
ET 901-HSH35


Top-hat rail clamp for AF 20, ET 901, IM3, IM6 and IP-Bridge

Mounting options with an AF 20 or ET 901: upright, vertical flat and horizontal flat.




Mounting options with an IM3: upright.

Mounting options with an IM6: upright und vertical flat.



Mounting options with an IP-Bridge: vertical flat and horizontal flat.



Extent of supply

- Top-hat rail clamp
- Mounting screws for fixing the top-hat rail clamp to the device (3.5 x 8 mm/0.14 x 0.31 in)
- · Short reference

Type: D-BZ-ET901-HSH, Version: 4.1/0423


www.commend.com

www.commend.com

ET 901-HSH35


Top-hat rail clamp for AF 20, ET 901, IM3, IM6 and IP-Bridge

Mounting options with an AF 20 or ET 901: upright, vertical flat and horizontal flat.




Mounting options with an IM3: upright.

Mounting options with an IM6: upright und vertical flat.



Mounting options with an IP-Bridge: vertical flat and horizontal flat.



Extent of supply

- Top-hat rail clamp
- Mounting screws for fixing the top-hat rail clamp to the device (3.5 x 8 mm/0.14 x 0.31 in)
- Short reference


Type: D-BZ-ET901-HSH, Version: 4.1/0423

www.commend.com

ET 901-HSH35


Top-hat rail clamp for AF 20, ET 901, IM3, IM6 and IP-Bridge

Mounting options with an AF 20 or ET 901: upright, vertical flat and horizontal flat.




Mounting options with an IM3: upright.

Mounting options with an IM6: upright und vertical flat.



Mounting options with an IP-Bridge: vertical flat and horizontal flat.




Extent of supply

- Top-hat rail clamp
- Mounting screws for fixing the top-hat rail clamp to the device (3.5 x 8 mm/0.14 x 0.31 in)
- Short reference

ET 901-HSH35


Top-hat rail clamp for AF 20, ET 901, IM3, IM6 and IP-Bridge

Mounting options with an AF 20 or ET 901: upright, vertical flat and horizontal flat.




Mounting options with an IM3: upright.

Mounting options with an IM6: upright und vertical flat.



Mounting options with an IP-Bridge: vertical flat and horizontal flat.




Extent of supply

- Top-hat rail clamp
- Mounting screws for fixing the top-hat rail clamp to the device (3.5 x 8 mm/0.14 x 0.31 in)
- Short reference


ET 901-HSH35

Hutschienenhalter für AF 20, ET 901, IM3, IM6 und IP-Bridge


Montagemöglichkeiten mit einem AF 20 oder ET 901: stehend, vertikal liegend und horizontal liegend.



Montagemöglichkeiten mit einem IM3: stehend. Montagemöglichkeiten mit einem IM6: stehend und vertikal liegend.



Montagemöglichkeiten mit einer IP-Bridge: vertikal liegend und horizontal liegend.



Lieferumfang

- Hutschienenhalter
- Montageschrauben für das Befestigen des Huterschienenhalters am Gerät (3,5 x 8 mm)
- Beipackzettel

Type: D-BZ-ET901-HSH, Version: 4.1/0423


www.commend.com

www.commend.com


ET 901-HSH35

Hutschienenhalter für AF 20, ET 901, IM3, IM6 und IP-Bridge


Montagemöglichkeiten mit einem AF 20 oder ET 901: stehend, vertikal liegend und horizontal liegend.



Montagemöglichkeiten mit einem IM3: stehend. Montagemöglichkeiten mit einem IM6: stehend und vertikal liegend.



Montagemöglichkeiten mit einer IP-Bridge: vertikal liegend und horizontal liegend.




Lieferumfang

- Hutschienenhalter
- Montageschrauben für das Befestigen des Huterschienenhalters am Gerät (3,5 x 8 mm)
- Beipackzettel


ET 901-HSH35

Hutschienenhalter für AF 20, ET 901, IM3, IM6 und IP-Bridge


Montagemöglichkeiten mit einem AF 20 oder ET 901: stehend, vertikal liegend und horizontal liegend.



Montagemöglichkeiten mit einem IM3: stehend. Montagemöglichkeiten mit einem IM6: stehend und vertikal liegend.



Montagemöglichkeiten mit einer IP-Bridge: vertikal liegend und horizontal liegend.



Lieferumfang

- Hutschienenhalter
- Montageschrauben für das Befestigen des Huterschienenhalters am Gerät (3,5 x 8 mm)
- Beipackzettel


Type: D-BZ-ET901-HSH, Version: 4.1/0423

www.commend.com


ET 901-HSH35

Hutschienenhalter für AF 20, ET 901, IM3, IM6 und IP-Bridge


Montagemöglichkeiten mit einem AF 20 oder ET 901: stehend, vertikal liegend und horizontal liegend.



Montagemöglichkeiten mit einem IM3: stehend. Montagemöglichkeiten mit einem IM6: stehend und vertikal liegend.



Montagemöglichkeiten mit einer IP-Bridge: vertikal liegend und horizontal liegend.



Lieferumfang

- Hutschienenhalter
- Montageschrauben für das Befestigen des Huterschienenhalters am Gerät (3,5 x 8 mm)
- Beipackzettel